

16/02/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	7.7	surface	-	-	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	2.90	2.70	-	-
		middle	-	-	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.90	2.40	-	-
		bottom	-	-	0.01	0.01	0.02	0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	1.90	2.00	-	-
M_Marsh	8.5	surface	-	-	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	2.60	2.70	-	-
		middle	-	-	0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	4.10	2.30	-	-
		bottom	-	-	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	1.50	1.50	-	-
TTC	9.9	surface	-	-	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	3.10	3.20	-	-
		middle	-	-	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	4.00	2.90	-	-
		bottom	-	-	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.70	2.00	-	-
M_BP	8.4	surface	-	-	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	2.90	2.70	-	-
		middle	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.60	2.80	-	-
		bottom	-	-	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.40	2.90	-	-
M_Coral	8.6	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	17.0	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	13.4	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F Inland M	-	-	-	-	0.02		0.18		<0.01		0.21		<0.01		1.6			