

26/02/2007	Water	Sampling	Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		SS (mg/L)	
Marine Station	depth (m)	depth (m)	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.3	surface	18.5	20.1	29.6	31.2	8.0	7.6	8.1	8.3	1.4	1.6	3.0	4.0
		bottom	18.6	19.2	29.8	31.6	8.0	7.7	8.2	8.3	2.1	2.0	3.0	6.0
KLW	13.1	surface	18.5	19.3	29.7	31.5	8.0	7.9	8.1	8.3	1.1	1.3	4.0	<2
		middle	18.7	19.1	29.7	31.9	8.0	7.9	8.1	8.3	1.6	1.5	3.0	3.0
		bottom	18.7	19.1	29.8	31.9	8.1	7.8	8.2	8.3	1.0	1.3	4.0	2.0
M_A	8.0	surface	18.4	20.3	29.7	31.3	7.8	7.7	8.1	8.3	1.9	2.2	4.0	5.0
		middle	18.5	19.3	29.8	31.5	7.9	7.9	8.1	8.3	1.6	1.3	5.0	6.0
		bottom	18.5	19.1	29.9	31.8	7.8	7.8	8.1	8.3	1.8	1.6	3.0	4.0
M_Marsh	8.3	surface	18.4	19.7	29.8	31.6	7.5	7.6	8.1	8.3	1.9	2.3	3.0	3.0
		middle	18.4	19.3	29.9	31.5	7.6	7.7	8.1	8.3	1.8	2.0	3.0	2.0
		bottom	18.5	19.1	29.9	31.6	7.6	7.7	8.1	8.2	2.1	2.4	2.0	3.0
TTC	9.7	surface	18.5	20.0	29.8	31.6	7.6	7.6	8.0	8.2	1.9	2.3	<2	3.0
		middle	18.7	19.0	30.0	31.9	7.6	7.6	8.1	8.2	1.6	1.8	5.0	5.0
		bottom	18.8	19.0	30.1	32.0	7.6	7.7	8.1	8.3	1.5	1.9	3.0	3.0
M_BP	8.3	surface	18.7	20.2	30.1	32.0	7.6	7.6	8.1	8.3	1.8	1.5	5.0	3.0
		middle	18.7	19.1	30.2	32.1	7.7	7.6	8.1	8.2	1.5	1.6	3.0	3.0
		bottom	18.8	19.1	30.2	32.2	7.7	7.6	8.1	8.3	1.8	1.5	3.0	3.0
M_Coral	8.2	surface	18.8	20.1	30.1	32.1	7.7	7.6	8.1	8.3	1.6	1.5	4.0	4.0
		middle	18.7	19.9	30.2	32.1	7.6	7.7	8.2	8.3	1.9	2.1	3.0	3.0
		bottom	18.7	20.0	30.2	32.1	7.7	7.6	8.2	8.3	1.5	2.0	4.0	3.0
M_B	16.8	surface	18.9	19.5	30.2	32.2	7.7	7.6	8.2	8.3	1.3	1.6	5.0	3.0
		middle	19.2	19.7	30.4	32.3	7.6	7.7	8.2	8.3	1.1	1.3	3.0	5.0
		bottom	19.2	19.6	30.2	32.3	7.6	7.5	8.1	8.2	1.0	1.3	3.0	2.0
KS	12.6	surface	18.9	19.9	30.1	32.3	7.6	7.7	8.2	8.3	1.8	1.9	4.0	4.0
		middle	18.7	19.9	30.2	32.2	7.6	7.7	8.2	8.4	1.6	1.5	3.0	5.0
		bottom	18.8	19.9	30.2	32.3	7.6	7.7	8.1	8.2	1.9	2.0	4.0	2.0
Fresh water station			Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		Suspended solid (mg/L)	
FU_A	-		15.6		<0.1		9.9		7.1		1.1		<2	
FD_A	-		16.8		<0.1		9.0		6.5		1.3		<2	
FU_B	-		16.2		<0.1		9.4		7.1		1.1		<2	
FD_B	-		15.5		<0.1		9.8		6.8		1.8		<2	
FU_C	-		16.6		<0.1		9.1		6.9		2.1		<2	
FD_C	-		16.9		<0.1		9.2		7.0		1.9		<2	
F Inland M	-		15.0		<0.1		9.7		7.6		2.5		2.0	

26/02/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_ROI	5.3	surface	3.0	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3.0	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.1	surface	4.0	<2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	3.0	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	4.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.0	surface	4.0	5.0	0.04	0.03	0.01	0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	2.80	3.50		
		middle	5.0	6.0	0.03	0.02	0.01	0.01	<0.01	<0.01	0.05	0.04	<0.01	<0.01	3.70	3.60		
		bottom	3.0	4.0	0.03	0.02	0.01	0.01	<0.01	<0.01	0.05	0.04	<0.01	<0.01	3.00	2.90		
M_Marsh	8.3	surface	4.0	5.0	0.04	0.03	0.01	0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	2.40	2.10		
		middle	5.0	6.0	0.04	0.04	0.01	0.01	<0.01	<0.01	0.06	0.06	<0.01	<0.01	1.80	2.20		
		bottom	3.0	4.0	0.05	0.04	0.01	0.01	<0.01	<0.01	0.07	0.06	<0.01	<0.01	1.20	1.70		
TTC	9.7	surface	4.0	5.0	0.03	0.03	0.01	0.01	<0.01	<0.01	0.05	0.05	<0.01	0.01	3.40	2.40		
		middle	5.0	6.0	0.04	0.03	0.01	0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	2.90	3.50		
		bottom	3.0	4.0	0.03	0.03	0.01	0.01	<0.01	<0.01	0.05	0.05	<0.01	<0.01	2.40	2.30		
M_BP	8.3	surface	4.0	5.0	0.04	0.03	0.01	0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	2.20	3.40		
		middle	5.0	6.0	0.03	0.02	0.01	0.01	<0.01	<0.01	0.05	0.04	<0.01	<0.01	3.00	3.40		
		bottom	3.0	4.0	0.02	0.04	0.01	0.01	<0.01	<0.01	0.04	0.06	<0.01	<0.01	2.70	2.80		
M_Coral	8.2	surface	4.0	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	5.0	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3.0	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B	16.8	surface	4.0	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	5.0	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3.0	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS	12.6	surface	4.0	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	5.0	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	3.0	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU_A	-		<2		-		-		-		-		-		-		-	
FD_A	-		<2		-		-		-		-		-		-		-	
FU_B	-		<2		-		-		-		-		-		-		-	
FD_B	-		<2		-		-		-		-		-		-		-	
FU_C	-		<2		-		-		-		-		-		-		-	
FD_C	-		<2		-		-		-		-		-		-		-	
F_Inland_M	-		2.0		0.06		0.28		<0.01		0.35		<0.01		1.3			