

23/03/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1		surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW		surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A		surface	-	-	0.04	0.02	0.02	0.02	<0.01	<0.01	0.07	0.05	0.01	0.01	0.50	<0.5		
		middle	-	-	0.06	0.06	0.03	0.02	<0.01	<0.01	0.10	0.09	0.01	0.01	<0.5	<0.5		
		bottom	-	-	0.03	0.04	0.03	0.02	<0.01	<0.01	0.07	0.07	<0.01	<0.01	0.50	<0.5		
M_Marsh		surface	-	-	0.04	0.02	0.03	0.03	<0.01	<0.01	0.08	0.06	0.01	0.01	<0.5	<0.5		
		middle	-	-	0.03	0.03	0.03	0.03	<0.01	<0.01	0.07	0.07	0.01	0.01	<0.5	<0.5		
		bottom	-	-	0.03	0.02	0.03	0.02	<0.01	<0.01	0.07	0.05	0.01	<0.01	<0.5	<0.5		
TTC		surface	-	-	0.03	0.05	0.03	0.02	<0.01	<0.01	0.07	0.08	0.01	0.01	0.50	<0.5		
		middle	-	-	0.03	0.02	0.02	0.02	<0.01	<0.01	0.06	0.05	0.01	0.01	<0.5	<0.5		
		bottom	-	-	0.04	0.02	0.03	0.02	<0.01	<0.01	0.08	0.05	<0.01	0.01	<0.5	<0.5		
M_BP		surface	-	-	0.03	0.03	0.02	0.02	<0.01	<0.01	0.06	0.06	<0.01	<0.01	0.50	<0.5		
		middle	-	-	0.02	<0.01	0.02	0.02	<0.01	<0.01	0.05	0.04	<0.01	<0.01	0.50	<0.5		
		bottom	-	-	0.02	<0.01	0.02	0.02	<0.01	<0.01	0.05	0.04	<0.01	<0.01	0.50	<0.5		
M_Coral		surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_B		surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KS		surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fresh water station			Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU_A	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD_A	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FU_B	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD_B	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FU_C	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FD_C	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F_Inland_M	-		-	-	0.16		0.23		0.10		0.49		<0.01		0.9			