

27/04/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.5	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	8.5	surface	-	-	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	0.5	<0.5		
		middle	-	-	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	0.6	0.5		
		bottom	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.5	0.5		
M_Marsh	8.3	surface	-	-	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	1.1	1.1		
		middle	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.1	1.0		
		bottom	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.0	1.0		
TTC	9.9	surface	-	-	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.4	1.4		
		middle	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.3	1.5		
		bottom	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.5	1.3		
M_BP	8.6	surface	-	-	0.04	0.02	<0.01	<0.01	<0.01	<0.01	0.06	0.04	<0.01	<0.01	1.3	1.5		
		middle	-	-	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01	1.3	1.5		
		bottom	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	1.5	1.4		
M_Coral	8.9	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M_B	17.2	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
KS	13.0	surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Fresh water station			Suspended solid (mg/L)		NH ₃ -N (mg/L)		NO ₃ -N (mg/L)		NO ₂ -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
FU A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FU C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FD C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F Inland M	-	-	-	-	0.02		1.15		0.06		1.23		<0.01		1.3			