

29/10/2007	Water depth (m)	Sampling depth (m)	Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		SS (mg/L)	
			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
Marine Station	5.7	surface	22.3	22.2	32.6	34.7	7.4	7.3	8.3	8.4	2.8	2.2	3.0	5.0
		bottom	22.8	23.5	32.5	34.1	7.6	7.7	8.4	8.3	2.2	2.7	7.0	4.0
KLW	13.5	surface	22.9	23.1	32.2	34.2	7.5	7.6	8.4	8.3	2.8	2.5	6.0	4.0
		middle	23.0	23.1	32.4	34.3	7.3	7.6	8.4	8.3	2.5	2.5	5.0	5.0
		bottom	23.0	23.0	32.4	34.4	7.3	7.1	8.4	8.3	2.7	2.8	5.0	3.0
M_A	7.8	surface	22.7	23.1	31.8	33.2	7.6	7.5	8.4	8.3	3.0	2.7	5.0	3.0
		middle	22.8	22.9	32.0	34.3	7.6	7.5	8.3	8.3	2.5	2.0	4.0	4.0
		bottom	22.8	22.9	32.0	34.0	7.3	7.0	8.4	8.3	2.2	2.0	4.0	4.0
M_Marsh	8.2	surface	22.1	22.9	31.9	33.1	7.3	7.0	8.3	8.2	2.5	2.2	4.0	4.0
		middle	22.3	22.4	32.0	33.8	7.2	6.8	8.3	8.2	2.4	1.9	4.0	5.0
		bottom	22.3	22.3	32.0	33.7	7.0	7.2	8.4	8.3	2.5	1.8	4.0	4.0
TTC	9.8	surface	22.2	22.8	32.2	34.1	7.3	7.0	8.4	8.3	2.7	2.5	2.0	2.0
		middle	22.3	22.5	32.4	34.3	7.3	7.4	8.3	8.2	2.4	2.1	4.0	<2
		bottom	22.4	22.4	32.4	34.4	7.1	7.2	8.4	8.3	2.1	2.5	8.0	4.0
M_BP	8.3	surface	22.3	22.8	32.3	34.4	7.1	7.0	8.3	8.2	3.1	2.5	4.0	3.0
		middle	22.4	22.5	32.5	34.3	7.2	7.1	8.4	8.3	2.4	2.2	4.0	3.0
		bottom	22.4	22.5	32.5	34.2	6.6	6.5	8.3	8.2	2.2	1.7	4.0	4.0
M_Coral	9.3	surface	22.1	22.7	32.0	34.2	7.1	6.8	8.3	8.2	2.1	1.5	4.0	5.0
		middle	23.1	23.1	32.2	34.1	7.2	7.2	8.3	8.2	1.9	2.5	4.0	5.0
		bottom	23.2	23.3	32.0	34.1	7.2	7.1	8.3	8.2	1.9	2.2	5.0	6.0
M_B	16.8	surface	22.0	22.6	32.1	34.6	7.2	7.0	8.3	8.2	1.6	2.2	5.0	5.0
		middle	23.1	23.2	32.2	34.3	7.3	7.1	8.3	8.3	2.1	1.6	4.0	6.0
		bottom	23.3	23.3	32.3	34.5	7.0	6.8	8.3	8.2	1.8	2.6	4.0	5.0
KS	13.1	surface	22.3	22.6	32.3	34.3	7.2	7.1	8.4	8.3	2.0	2.2	6.0	4.0
		middle	23.2	23.4	32.2	34.2	7.1	7.0	8.4	8.3	1.8	2.4	5.0	6.0
		bottom	23.4	23.4	32.3	34.3	7.0	7.2	8.3	8.4	2.1	2.5	5.0	5.0
Fresh water station			Temp (°C)		Salinity (ppt)		DO (mg/L)		pH		Turbidity (NTU)		Suspended solid (mg/L)	
FU A	-		21.1		<0.1		8.8		7.3		3.3		7.0	
FD A	-		21.0		<0.1		8.9		7.5		2.2		7.0	
FU B	-		21.0		<0.1		9.0		7.5		2.3		4.0	
FD B	-		21.5		<0.1		8.9		7.2		2.6		5.0	
FU C	-		21.0		<0.1		9.1		6.7		3.0		3.0	
FD C	-		20.8		<0.1		9.2		7.2		2.4		<2	
F Inland M	-		21.9		<0.1		8.3		7.2		2.5		3.0	

29/10/2007	Water depth (m)	Sampling depth (m)	Suspended solid (mg/L)		NH <sub>3</sub> -N (mg/L)		NO <sub>3</sub> -N (mg/L)		NO <sub>2</sub> -N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)	
Marine Station			mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood	mid-ebb	mid-flood
M_RO1	5.7	surface	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KLW	13.5	surface	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		middle	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		bottom	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M_A	7.8	surface	5	3	0.03	0.06	<0.01	<0.01	<0.01	<0.01	0.05	0.08	<0.01	<0.01	2.60	2.40		
		middle	4	4	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.07	<0.01	<0.01	<0.01	2.50	2.20		
		bottom	4	4	0.04	0.01	<0.01	<0.01	<0.01	<0.01	0.06	<0.01	<0.01	<0.01	2.30	2.30		
M_Marsh	8.1	surface	4	4	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	0.10	<0.01	<0.01	2.30	2.30		
		middle	4	5	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	2.30	2.00		
		bottom	4	4	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	2.40	2.40		
TTC	9.8	surface	2	2	0.03	0.04	<0.01	<0.01	<0.01	<0.01	0.05	0.06	<0.01	<0.01	2.20	2.30		
		middle	4	<2	0.04	0.07	<0.01	<0.01	<0.01	<0.01	0.06	0.09	<0.01	<0.01	2.40	2.10		
		bottom	8	4	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	2.00	2.10		
M_BP	8.3	surface	4	3	0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	<0.01	<0.01	2.50	2.30		
		middle	4	3	0.07	0.05	<0.01	<0.01	<0.01	<0.01	0.09	0.07	<0.01	<0.01	2.30	2.30		
		bottom	4	4	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.05	<0.01	<0.01	2.30	2.00		
M_Coral	9.3	surface	4	5	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.10	2.70		
		middle	4	5	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	2.30	2.00		
		bottom	5	6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.60	2.10		
M_B	16.8	surface	5	5	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	0.10	<0.01	<0.01	2.50	2.40		
		middle	4	6	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	2.20	2.20		
		bottom	4	5	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	2.20	2.10		
KS	13.0	surface	6	4	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	<0.01	<0.01	<0.01	2.30	2.10		
		middle	5	6	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	3.00	2.30		
		bottom	5	5	0.03	0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	2.10	1.80		
Fresh water station		Suspended solid (mg/L)		NH3-N (mg/L)		NO3-N (mg/L)		NO2-N (mg/L)		TIN (mg/L)		TP (mg/L)		Chlorophyll a (ug/L)		PesticidesB (ug/L)		
FU A	-		7		<0.01		0.2		<0.01		0.2		<0.01		0.6			
FD A	-		7		<0.01		0.2		<0.01		0.2		<0.01		1.1			
FU B	-		4		<0.01		1.1		<0.01		1.1		<0.01		<0.5			
FD B	-		5		<0.01		0.5		<0.01		0.5		<0.01		<0.5			
FU C	-		3		<0.01		0.1		<0.01		0.1		<0.01		0.8			
FD C	-		<2		<0.01		0.1		<0.01		0.1		<0.01		<0.5			
F Inland M	-		3		0.0		0.1		<0.01		0.1		<0.01		<0.5			