

# 香港高球總會

## 球場差點轉換表

### 涠西洲 - 東場

男士 - 黃色發球台				女士 - 黃色發球台			
球場指數: 66.5 - 坡度難度值: 120 - 標準桿: 72				球場指數: 70.6 - 坡度難度值: 121 - 標準桿: 72			
差點指數	球場差點	差點指數	球場差點	差點指數	球場差點	差點指數	球場差點
+5.0 TO +4.8	+11	24.5 TO 25.4	21	+5.0 TO +4.8	+7	24.2 TO 25.1	25
+4.7 TO +3.8	+10	25.5 TO 26.3	22	+4.7 TO +3.9	+6	25.2 TO 26.0	26
+3.7 TO +2.9	+9	26.4 TO 27.3	23	+3.8 TO +2.9	+5	26.1 TO 26.9	27
+2.8 TO +1.9	+8	27.4 TO 28.2	24	+2.8 TO +2.0	+4	27.0 TO 27.9	28
+1.8 TO +1.0	+7	28.3 TO 29.1	25	+1.9 TO +1.1	+3	28.0 TO 28.8	29
+0.9 TO +0.1	+6	29.2 TO 30.1	26	+1.0 TO 0.1	+2	28.9 TO 29.7	30
0.0 TO 0.9	+5	30.2 TO 31.0	27	0.0 TO 0.8	+1	29.8 TO 30.7	31
1.0 TO 1.8	+4	31.1 TO 32.0	28	0.9 TO 1.7	0	30.8 TO 31.6	32
1.9 TO 2.8	+3	32.1 TO 32.9	29	1.8 TO 2.7	1	31.7 TO 32.5	33
2.9 TO 3.7	+2	33.0 TO 33.8	30	2.8 TO 3.6	2	32.6 TO 33.5	34
3.8 TO 4.7	+1	33.9 TO 34.8	31	3.7 TO 4.5	3	33.6 TO 34.4	35
4.8 TO 5.6	0	34.9 TO 35.7	32	4.6 TO 5.5	4	34.5 TO 35.3	36
5.7 TO 6.5	1	35.8 TO 36.7	33	5.6 TO 6.4	5	35.4 TO 36.3	37
6.6 TO 7.5	2	36.8 TO 37.6	34	6.5 TO 7.3	6	36.4 TO 37.2	38
7.6 TO 8.4	3	37.7 TO 38.6	35	7.4 TO 8.3	7	37.3 TO 38.1	39
8.5 TO 9.4	4	38.7 TO 39.5	36	8.4 TO 9.2	8	38.2 TO 39.1	40
9.5 TO 10.3	5	39.6 TO 40.4	37	9.3 TO 10.1	9	39.2 TO 40.0	41
10.4 TO 11.2	6	40.5 TO 41.4	38	10.2 TO 11.1	10	40.1 TO 40.9	42
11.3 TO 12.2	7	41.5 TO 42.3	39	11.2 TO 12.0	11	41.0 TO 41.9	43
12.3 TO 13.1	8	42.4 TO 43.3	40	12.1 TO 12.9	12	42.0 TO 42.8	44
13.2 TO 14.1	9	43.4 TO 44.2	41	13.0 TO 13.9	13	42.9 TO 43.7	45
14.2 TO 15.0	10	44.3 TO 45.1	42	14.0 TO 14.8	14	43.8 TO 44.7	46
15.1 TO 16.0	11	45.2 TO 46.1	43	14.9 TO 15.7	15	44.8 TO 45.6	47
16.1 TO 16.9	12	46.2 TO 47.0	44	15.8 TO 16.7	16	45.7 TO 46.6	48
17.0 TO 17.8	13	47.1 TO 48.0	45	16.8 TO 17.6	17	46.7 TO 47.5	49
17.9 TO 18.8	14	48.1 TO 48.9	46	17.7 TO 18.5	18	47.6 TO 48.4	50
18.9 TO 19.7	15	49.0 TO 49.9	47	18.6 TO 19.5	19	48.5 TO 49.4	51
19.8 TO 20.7	16	50.0 TO 50.8	48	19.6 TO 20.4	20	49.5 TO 50.3	52
20.8 TO 21.6	17	50.9 TO 51.7	49	20.5 TO 21.3	21	50.4 TO 51.2	53
21.7 TO 22.5	18	51.8 TO 52.7	50	21.4 TO 22.3	22	51.3 TO 52.2	54
22.6 TO 23.5	19	52.8 TO 53.6	51	22.4 TO 23.2	23	52.3 TO 53.1	55
23.6 TO 24.4	20	53.7 TO 54.0	52	23.3 TO 24.1	24	53.2 TO 54	56

#### 用法說明

1. 請確保本表所顯示的發球台與您將會使用的發球台是一致。
2. 使用此表時，請在「差點指數」欄中找出您的差點，然後在「球場差點」欄中配對出您的正確差點。

# 香港高球總會

## 球場差點轉換表

### 落西洲 - 東場

男士 - 白色發球台				女士 - 白色發球台			
球場指數: 67.9 - 坡度難度值: 129 - 標準桿: 72				球場指數: 72.8 - 坡度難度值: 126 - 標準桿: 72			
差點指數	球場差點	差點指數	球場差點	差點指數	球場差點	差點指數	球場差點
+5.0 TO +4.8	+10	24.2 TO 25.0	24	+5.0 TO +4.8	+5	24.0 TO 24.8	28
+4.7 TO +3.9	+9	25.1 TO 25.9	25	+4.8 TO +3.9	+4	24.9 TO 25.7	29
+3.8 TO +3.0	+8	26.0 TO 26.8	26	+3.8 TO +3.0	+3	25.8 TO 26.6	30
+2.9 TO +2.2	+7	26.9 TO 27.6	27	+2.9 TO +2.1	+2	26.7 TO 27.5	31
+2.1 TO +1.3	+6	27.7 TO 28.5	28	+2.0 TO +1.2	+1	27.6 TO 28.4	32
+1.2 TO +0.4	+5	28.6 TO 29.4	29	+1.1 TO +0.3	0	28.5 TO 29.3	33
+0.3 TO 0.5	+4	29.5 TO 30.3	30	+0.2 TO 0.6	1	29.4 TO 30.2	34
0.6 TO 1.4	+3	30.4 TO 31.1	31	0.7 TO 1.5	2	30.3 TO 31.1	35
1.5 TO 2.2	+2	31.2 TO 32.0	32	1.6 TO 2.4	3	31.2 TO 32	36
2.3 TO 3.1	+1	32.1 TO 32.9	33	2.5 TO 3.3	4	32.1 TO 32.9	37
3.2 TO 4.0	0	33.0 TO 33.8	34	3.4 TO 4.2	5	33.0 TO 33.8	38
4.1 TO 4.9	1	33.9 TO 34.6	35	4.3 TO 5.1	6	33.9 TO 34.7	39
5.0 TO 5.7	2	34.7 TO 35.5	36	5.2 TO 6.0	7	34.8 TO 35.6	40
5.8 TO 6.6	3	35.6 TO 36.4	37	6.1 TO 6.9	8	35.7 TO 36.5	41
6.7 TO 7.5	4	36.5 TO 37.3	38	7.0 TO 7.8	9	36.6 TO 37.3	42
7.6 TO 8.4	5	37.4 TO 38.1	39	7.9 TO 8.6	10	37.4 TO 38.2	43
8.5 TO 9.2	6	38.2 TO 39.0	40	8.7 TO 9.5	11	38.3 TO 39.1	44
9.3 TO 10.1	7	39.1 TO 39.9	41	9.6 TO 10.4	12	39.2 TO 40.0	45
10.2 TO 11	8	40.0 TO 40.8	42	10.5 TO 11.3	13	40.1 TO 40.9	46
11.1 TO 11.9	9	40.9 TO 41.6	43	11.4 TO 12.2	14	41.0 TO 41.8	47
12.0 TO 12.7	10	41.7 TO 42.5	44	12.3 TO 13.1	15	41.9 TO 42.7	48
12.8 TO 13.6	11	42.6 TO 43.4	45	13.2 TO 14.0	16	42.8 TO 43.6	49
13.7 TO 14.5	12	43.5 TO 44.3	46	14.1 TO 14.9	17	43.7 TO 44.5	50
14.6 TO 15.4	13	44.4 TO 45.1	47	15.0 TO 15.8	18	44.6 TO 45.4	51
15.5 TO 16.2	14	45.2 TO 46.0	48	15.9 TO 16.7	19	45.5 TO 46.3	52
16.3 TO 17.1	15	46.1 TO 46.9	49	16.8 TO 17.6	20	46.4 TO 47.2	53
17.2 TO 18.0	16	47.0 TO 47.8	50	17.7 TO 18.5	21	47.3 TO 48.1	54
18.1 TO 18.9	17	47.9 TO 48.7	51	18.6 TO 19.4	22	48.2 TO 49.0	55
19.0 TO 19.7	18	48.8 TO 49.5	52	19.5 TO 20.3	23	49.1 TO 49.9	56
19.8 TO 20.6	19	49.6 TO 50.4	53	20.4 TO 21.2	24	50.0 TO 50.8	57
20.7 TO 21.5	20	50.5 TO 51.3	54	21.3 TO 22.1	25	50.9 TO 51.7	58
21.6 TO 22.4	21	51.4 TO 52.2	55	22.2 TO 23.0	26	51.8 TO 52.6	59
22.5 TO 23.3	22	52.3 TO 53.0	56	23.1 TO 23.9	27	52.7 TO 53.5	60
23.4 TO 24.1	23	53.1 TO 53.9	57			53.6 TO 54.0	61
		54.0 TO 54.0	58				

#### 用法說明

1. 請確保本表所顯示的發球台與您將會使用的發球台是一致。
2. 使用此表時，請在「差點指數」欄中找出您的差點，然後在「球場差點」欄中配對出您的正確差點。

# 香港高球總會

## 球場差點轉換表

### 涠西洲 - 東場

男士 - 藍色發球台				女士 - 紅色發球台			
球場指數: 70.5 - 坡度難度值: 128 - 標準桿: 72				球場指數: 65.2 - 坡度難度值: 107 - 標準桿: 72			
差點指數	球場差點	差點指數	球場差點	差點指數	球場差點	差點指數	球場差點
+5.0 TO +4.5	+7	24.8 TO 25.6	27	+5.0 TO +5.0	+12	23.6 TO 24.6	16
+4.4 TO +3.6	+6	25.7 TO 26.4	28	+4.9 TO +4.0	+11	24.7 TO 25.6	17
+3.5 TO +2.7	+5	26.5 TO 27.3	29	+3.9 TO +2.9	+10	25.7 TO 26.7	18
+2.6 TO +1.8	+4	27.4 TO 28.2	30	+2.8 TO +1.8	+9	26.8 TO 27.7	19
+1.7 TO +0.9	+3	28.3 TO 29.1	31	+1.7 TO +0.8	+8	27.8 TO 28.8	20
+0.8 TO +0.1	+2	29.2 TO 30.0	32	+0.7 TO 0.3	+7	28.8 TO 29.8	21
0.0 TO 0.8	+1	30.1 TO 30.8	33	0.4 TO 1.3	+6	29.9 TO 30.9	22
0.9 TO 1.7	0	30.9 TO 31.7	34	1.4 TO 2.4	+5	31.0 TO 31.9	23
1.8 TO 2.6	1	31.8 TO 32.6	35	2.5 TO 3.4	+4	32.0 TO 33.0	24
2.7 TO 3.5	2	32.7 TO 33.5	36	3.5 TO 4.5	+3	33.1 TO 34.1	25
3.6 TO 4.4	3	33.6 TO 34.4	37	4.6 TO 5.5	+2	34.2 TO 35.1	26
4.5 TO 5.2	4	34.5 TO 35.3	38	5.6 TO 6.6	+1	35.2 TO 36.2	27
5.3 TO 6.1	5	35.4 TO 36.1	39	6.7 TO 7.7	0	36.3 TO 37.2	28
6.2 TO 7.0	6	36.2 TO 37.0	40	7.8 TO 8.7	1	37.3 TO 38.3	29
7.1 TO 7.9	7	37.1 TO 37.9	41	8.7 TO 9.8	2	38.4 TO 39.3	30
8.0 TO 8.8	8	38.0 TO 38.8	42	9.9 TO 10.8	3	39.4 TO 40.4	31
8.9 TO 9.7	9	38.9 TO 39.7	43	10.9 TO 11.9	4	40.5 TO 41.5	32
9.8 TO 10.5	10	39.8 TO 40.6	44	12.0 TO 12.9	5	41.6 TO 42.5	33
10.6 TO 11.4	11	40.7 TO 41.4	45	13.0 TO 14.0	6	42.6 TO 43.6	34
11.5 TO 12.3	12	41.5 TO 42.3	46	14.1 TO 15.1	7	43.7 TO 44.6	35
12.4 TO 13.2	13	42.4 TO 43.2	47	15.2 TO 16.1	8	44.7 TO 45.7	36
13.3 TO 14.1	14	43.3 TO 44.1	48	16.2 TO 17.2	9	45.8 TO 46.7	37
14.2 TO 15.0	15	44.2 TO 45.0	49	17.3 TO 18.2	10	46.8 TO 47.8	38
15.1 TO 15.8	16	45.1 TO 45.9	50	18.3 TO 19.3	11	47.9 TO 48.8	39
15.9 TO 16.7	17	46.0 TO 46.7	51	19.4 TO 20.3	12	48.9 TO 49.9	40
16.8 TO 17.6	18	46.8 TO 47.6	52	20.4 TO 21.4	13	50.0 TO 51.0	41
17.7 TO 18.5	19	47.7 TO 48.5	53	21.5 TO 22.4	14	51.1 TO 52.0	42
18.6 TO 19.4	20	48.6 TO 49.4	54	22.5 TO 23.5	15	52.1 TO 53.1	43
19.5 TO 20.3	21	49.5 TO 50.3	55			53.2 TO 54.0	44
20.4 TO 21.1	22	50.4 TO 51.2	56				
21.2 TO 22.0	23	51.3 TO 52.0	57				
22.1 TO 22.9	24	52.1 TO 52.9	58				
23.0 TO 23.8	25	53.0 TO 53.8	59				
23.9 TO 24.7	26	53.9 TO 54	60				

#### 用法說明

1. 請確保本表所顯示的發球台與您將會使用的發球台是一致。
2. 使用此表時，請在「差點指數」欄中找出您的差點，然後在「球場差點」欄中配對出您的正確差點。