WORLD HANDICAP SYSTEM 球場差點	球總會 點轉換表 - 北場
<i>十十,</i> 白舟發球台	


女士 - 白色發球台 				女士 - 黃色發球台			
				球場指數: 71.0 - 坡度難度值: 123 - 標準桿: 73			
球場差點	差點指數	球場差點	差點指數	球場差點	差點指數	球場差點	
+3	24.3 TO 25.1	30	+5.0 TO +4.2	+7	24.4 TO 25.2	25	
+2	25.2 TO 26.0	31	+4.1 TO +3.3	+6	25.3 TO 26.1	26	
+1	26.1 TO 26.9	32	+3.2 TO +2.3	+5	26.2 TO 27.1	27	
0	27.0 TO 27.8	33	+2.2 TO +1.4	+4	27.2 TO 28.0	28	
1	27.9 TO 28.7	34	+1.3 TO +0.5	+3	28.1 TO 28.9	29	
2	28.8 TO 29.6	35	+0.4 TO 0.4	+2	29.0 TO 29.8	30	
3	29.7 TO 30.5	36	0.5 TO 1.3	+1	29.9 TO 30.7	31	
4	30.6 TO 31.4	37	1.4 TO 2.2	0	30.8 TO 31.6	32	
5	31.5 TO 32.3	38	2.3 TO 3.2	1	31.7 TO 32.6	33	
6	32.4 TO 33.2	39	3.3 TO 4.1	2	32.7 TO 33.5	34	
7	33.3 TO 34.1	40	4.2 TO 5.0	3	33.6 TO 34.4	35	
8	34.2 TO 35.0	41	5.1 TO 5.9	4	34.5 TO 35.3	36	
9	35.1 TO 35.9	42	6.0 TO 6.8	5	35.4 TO 36.2	37	
10	36.0 TO 36.8	43	6.9 TO 7.8	6	36.3 TO 37.2	38	
11	36.9 TO 37.7	44	7.9 TO 8.7	7	37.3 TO 38.1	39	
12	37.8 TO 38.6	45	8.8 TO 9.6	8	38.2 TO 39.0	40	
13	38.7 TO 39.5	46	9.7 TO 10.5	9	39.1 TO 39.9	41	
14	39.6 TO 40.4	47	10.6 TO 11.4	10	40.0 TO 40.8	42	
15	40.5 TO 41.4	48	11.5 TO 12.4	11	40.9 TO 41.8	43	
16	41.5 TO 42.3	49	12.5 TO 13.3	12	41.9 TO 42.7	44	
17	42.4 TO 43.2	50	13.4 TO 14.2	13	42.8 TO 43.6	45	
18	43.3 TO 44.1	51	14.3 TO 15.1	14	43.7 TO 44.5	46	
19	44.2 TO 45.0	52	15.2 TO 16.0	15	44.6 TO 45.4	47	
20	45.1 TO 45.9	53	16.1 TO 16.9	16	45.5 TO 46.3	48	
21	46.0 TO 46.8	54	17.0 TO 17.9	17	46.4 TO 47.3	49	
22	46.9 TO 47.7	55	18.0 TO 18.8	18	47.4 TO 48.2	50	
23	47.8 TO 48.6	56	18.9 TO 19.7	19	48.3 TO 49.1	51	
24	48.7 TO 49.5	57	19.8 TO 20.6	20	49.2 TO 50.0	52	
25	49.6 TO 50.4	58	20.7 TO 21.5	21	50.1 TO 50.9	53	
26	50.5 TO 51.3	59	21.6 TO 22.5	22	51.0 TO 51.9	54	
27	51.4 TO 52.2	60	22.6 TO 23.4	23	52.0 TO 52.8	55	
28	52.3 TO 53.1	61	23.5 TO 24.3	24	52.9 TO 53.7	56	
29	53.2 TO 54.0	62			53.8 TO 54.0	57	
	球場差點 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	球場差點差點指數+324.3 TO 25.1+225.2 TO 26.0+126.1 TO 26.9027.0 TO 27.8127.9 TO 28.7228.8 TO 29.6329.7 TO 30.5430.6 TO 31.4531.5 TO 32.3632.4 TO 33.2733.3 TO 34.1834.2 TO 35.0935.1 TO 35.91036.0 TO 36.81136.9 TO 37.71237.8 TO 38.61338.7 TO 39.51439.6 TO 40.41540.5 TO 41.41641.5 TO 42.31742.4 TO 43.21843.3 TO 44.11944.2 TO 45.02045.1 TO 45.92146.0 TO 46.82246.9 TO 47.72347.8 TO 48.62448.7 TO 49.52549.6 TO 50.42650.5 TO 51.32751.4 TO 52.22852.3 TO 53.1	球場差點差點指數球場差點 $+3$ 24.3 TO 25.130 $+2$ 25.2 TO 26.031 $+1$ 26.1 TO 26.932027.0 TO 27.833127.9 TO 28.734228.8 TO 29.635329.7 TO 30.536430.6 TO 31.437531.5 TO 32.338632.4 TO 33.239733.3 TO 34.140834.2 TO 35.041935.1 TO 35.9421036.0 TO 36.8431136.9 TO 37.7441237.8 TO 38.6451338.7 TO 39.5461439.6 TO 40.4471540.5 TO 41.4481641.5 TO 42.3491742.4 TO 43.2501843.3 TO 44.1511944.2 TO 45.0522045.1 TO 45.9532146.0 TO 46.8542246.9 TO 47.7552347.8 TO 48.6562448.7 TO 49.5572549.6 TO 50.4582650.5 TO 51.3592751.4 TO 52.2602852.3 TO 53.161	球場差點差點指數球場差點差點指數+324.3 TO 25.130+5.0 TO +4.2+225.2 TO 26.031+4.1 TO +3.3+126.1 TO 26.932+3.2 TO +2.3027.0 TO 27.833+2.2 TO +1.4127.9 TO 28.734+1.3 TO +0.5228.8 TO 29.635+0.4 TO 0.4329.7 TO 30.5360.5 TO 1.3430.6 TO 31.4371.4 TO 2.2531.5 TO 32.3382.3 TO 3.2632.4 TO 33.2393.3 TO 4.1733.3 TO 34.1404.2 TO 5.0834.2 TO 35.0415.1 TO 5.9935.1 TO 35.9426.0 TO 6.81036.0 TO 36.8436.9 TO 7.81136.9 TO 37.7447.9 TO 8.71237.8 TO 38.6458.8 TO 9.61338.7 TO 39.5469.7 TO 10.51439.6 TO 40.44710.6 TO 11.41540.5 TO 41.44811.5 TO 12.41641.5 TO 42.34912.5 TO 13.31742.4 TO 43.25013.4 TO 16.92146.0 TO 46.85417.0 TO 17.92246.9 TO 47.75518.0 TO 18.82347.8 TO 49.55719.8 TO 20.62549.6 TO 50.45820.7 TO 21.52650.5 TO 51.35921.6 TO 22.52751.4 TO 52.26022.6 TO 23.42852.3 TO 53.1<	球場差點 差點指數 球場差點 差點指數 球場差點 +3 24.3 TO 25.1 30 +5.0 TO +4.2 +7 +2 25.2 TO 26.0 31 +4.1 TO +3.3 +6 +1 26.1 TO 26.9 32 +3.2 TO +2.3 +5 0 27.0 TO 27.8 33 +2.2 TO +1.4 +4 1 27.9 TO 28.7 34 +1.3 TO 0.5 +3 2 28.8 TO 29.6 35 +0.4 TO 0.4 +2 3 29.7 TO 30.5 36 0.5 TO 1.3 +1 4 30.6 TO 31.4 37 1.4 TO 2.2 0 5 31.5 TO 32.3 38 2.3 TO 4.1 2 6 32.4 TO 33.2 39 3.3 TO 4.1 2 7 33.3 TO 3.1 40 4.2 TO 5.0 3 8 34.2 TO 35.0 411 5.1 TO 5.9 4 9 35.1 TO 35.9 42 6.0 TO 6.8 5 10 36.0 TO 36.8 43 6.9 TO 1.8 8	球場差點 差點指數 球場差點 差點指數 差點指數 差點指數 +3 24.3 TO 25.1 30 +5.0 TO 44.2 +7 24.4 TO 25.2 TO 26.0 +1 25.2 TO 26.0 31 +4.1 TO 43.3 +6 25.3 TO 26.1 +1 26.1 TO 26.9 32 +3.2 TO +2.3 +5 26.2 TO 27.1 0 27.0 TO 27.8 33 +2.2 TO +1.4 +4 27.2 TO 28.0 1 27.9 TO 28.7 34 +1.3 TO 40.5 +3 28.1 TO 28.0 2 28.8 TO 29.6 35 +0.4 TO 0.4 +2 29.0 TO 29.8 3 29.7 TO 30.5 36 0.5 TO 1.3 +1 29.9 TO 30.7 44 30.6 TO 31.4 37 1.4 TO 2.2 0 30.8 TO 31.6 5 31.5 TO 32.3 38 2.3 TO 3.2 1 33.6 TO 34.4 8 34.2 TO 35.0 41 5.1 TO 5.9 4 34.5 TO 35.3 9 35.1 TO 36.9 42 6.0 TO 6.8 5 35.4 TO 36.2 10 36.6 TO 37.7	

用法說明 1. 請確保本表所顯示的發球台與您將會使用的發球台是一致。 2. 使用此表時,請在「差點指數」欄中找出您的差點,然後在「球場差點」欄中配對出您的正確差點。

MONG KONG GOLF ASSOCIATION 香港高	球總會
	Li轉換表 - 北場
男士 - 黄色發球台	女士 - 黃色發球台

ガム・奥巴段林口 球場指數: 68.6 - 坡度難度值: 122 - 標準桿: 72							
							差點指數
+5.0 TO + 4.8	+9	24.0 TO 24.9	23	+5.0 TO +4.9	+5	24.4 TO 25.2	28
+4.7 TO +3.8	+8	25.0 TO 25.8	24	+4.8 TO +4.0	+4	25.3 TO 26.1	29
+3.7 TO +2.9	+7	25.9 TO 26.7	25	+3.9 TO +3.1	+3	26.2 TO 27.0	30
+2.8 TO +2.0	+6	26.8 TO 27.6	26	+3.0 TO +2.1	+2	27.1 TO 27.9	31
+1.9 TO +1.1	+5	27.7 TO 28.6	27	+2.0 TO +1.2	+1	28.0 TO 28.8	32
+1.0 TO +0.1	+4	28.7 TO 29.5	28	+1.1 TO +0.3	0	28.9 TO 29.7	33
0.0 TO 0.8	+3	29.6 TO 30.4	29	+0.2 TO 0.6	1	29.8 TO 30.7	34
0.9 TO 1.7	+2	30.5 TO 31.3	30	0.7 TO 1.5	2	30.8 TO 31.6	35
1.8 TO 2.6	+1	31.4 TO 32.3	31	1.6 TO 2.4	3	31.7 TO 32.5	36
2.7 TO 3.6	0	32.4 TO 33.2	32	2.5 TO 3.3	4	32.6 TO 33.4	37
3.7 TO 4.5	1	33.3 TO 34.1	33	3.4 TO 4.2	5	33.5 TO 34.3	38
4.6 TO 5.4	2	34.2 TO 35.1	34	4.3 TO 5.1	6	34.4 TO 35.2	39
5.5 TO 6.3	3	35.2 TO 36.0	35	5.2 TO 6.1	7	35.3 TO 36.1	40
6.4 TO 7.3	4	36.1 TO 36.9	36	6.2 TO 7.0	8	36.2 TO 37.0	41
7.4 TO 8.2	5	37.0 TO 37.8	37	7.1 TO 7.9	9	37.1 TO 38.0	42
8.3 TO 9.1	6	37.9 TO 38.8	38	8.0 TO 8.8	10	38.1 TO 38.9	43
9.2 TO 10.0	7	38.9 TO 39.7	39	8.9 TO 9.7	11	39.0 TO 39.8	44
10.1 TO 11.0	8	39.8 TO 40.6	40	9.8 TO 10.6	12	39.9 TO 40.7	45
11.1 TO 11.9	9	40.7 TO 41.5	41	10.7 TO 11.5	13	40.8 TO 41.6	46
12.0 TO 12.8	10	41.6 TO 42.5	42	11.6 TO 12.4	14	41.7 TO 42.5	47
12.9 TO 13.8	11	42.6 TO 43.4	43	12.5 TO 13.3	15	42.6 TO 43.4	48
13.9 TO 14.7	12	43.5 TO 44.3	44	13.4 TO 14.3	16	43.5 TO 44.3	49
14.8 TO 15.6	13	44.4 TO 45.2	45	14.4 TO 15.2	17	44.4 TO 45.2	50
15.7 TO 16.5	14	45.3 TO 46.2	46	15.3 TO 16.1	18	45.3 TO 46.2	51
16.6 TO 17.5	15	46.3 TO 47.1	47	16.2 TO 17.0	19	46.3 TO 47.1	52
17.6 TO 18.4	16	47.2 TO 48.0	48	17.1 TO 17.9	20	47.2 TO 48.0	53
18.5 TO 19.3	17	48.1 TO 48.9	49	18.0 TO 18.8	21	48.1 TO 48.9	54
19.4 TO 20.2	18	49.0 TO 49.9	50	18.9 TO 19.7	22	49.0 TO 49.8	55
20.3 TO 21.2	19	50.0 TO 50.8	51	19.8 TO 20.6	23	49.9 TO 50.7	56
21.3 TO 22.1	20	50.9 TO 51.7	52	20.7 TO 21.5	24	50.8 TO 51.6	57
22.2 TO 23.0	21	51.8 TO 52.7	53	21.6 TO 22.5	25	51.7 TO 52.5	58
23.1 TO 23.9	22	52.8 TO 53.6	54	22.6 TO 23.4	26	52.6 TO 53.4	59
		53.7 TO 54.0	55	23.5 TO 24.3	27	52.5 TO 54.0	60

用法說明 1. 請確保本表所顯示的發球台與您將會使用的發球台是一致。 2. 使用此表時,請在「差點指數」欄中找出您的差點,然後在「球場差點」欄中配對出您的正確差點。



男士 - 藍色發球台			男士 - 白色發球台					
球場指數: 72.3 - 坡度難度值: 131 - 標準桿: 72				球場指數: 70.6 - 坡度難度值: 131 - 標準桿: 72				
差點指數	球場差點	差點指數	球場差點	差點指數	球場差點	差點指數	球場差點	
+5.0 TO +4.2	+5	24.4 TO 25.1	29	+5.0 TO +4.4	+7	24.1 TO 24.9	27	
+4.1 TO +3.3	+4	25.2 TO 26.0	30	+4.3 TO +3.6	+6	25.0 TO 25.7	28	
+3.2 TO +2.5	+3	26.1 TO 26.9	31	+3.5 TO +2.7	+5	25.8 TO 26.6	29	
+2.4 TO +1.6	+2	27.0 TO 27.7	32	+2.6 TO +1.9	+4	26.7 TO 27.5	30	
+1.5 TO +0.7	+1	27.8 TO 28.6	33	+1.8 TO +1.0	+3	27.6 TO 28.3	31	
+0.6 TO 0.1	0	28.7 TO 29.5	34	+0.9 TO +0.1	+2	28.4 TO 29.2	32	
0.2 TO 1.0	1	29.6 TO 30.3	35	0.0 TO 0.7	+1	29.3 TO 30.1	33	
1.1 TO 1.8	2	30.4 TO 31.2	36	0.8 TO 1.6	0	30.2 TO 30.9	34	
1.9 TO 2.7	3	31.3 TO 32.0	37	1.7 TO 2.5	1	31.0 TO 31.8	35	
2.8 TO 3.6	4	32.1 TO 32.9	38	2.6 TO 3.3	2	31.9 TO 32.6	36	
3.7 TO 4.4	5	33.0 TO 33.8	39	3.4 TO 4.2	3	32.7 TO 33.5	37	
4.5 TO 5.3	6	33.9 TO 34.6	40	4.3 TO 5.0	4	33.6 TO 34.4	38	
5.4 TO 6.2	7	34.7 TO 35.5	41	5.1 TO 5.9	5	34.5 TO 35.2	39	
6.3 TO 7.0	8	35.6 TO 36.4	42	6.0 TO 6.8	6	35.3 TO 36.1	40	
7.1 TO 7.9	9	36.5 TO 37.2	43	6.9 TO 7.6	7	36.2 TO 37.0	41	
8.0 TO 8.7	10	37.3 TO 38.1	44	7.7 TO 8.5	8	37.1 TO 37.8	42	
8.8 TO 9.6	11	38.2 TO 38.9	45	8.6 TO 9.4	9	37.9 TO 38.7	43	
9.7 TO 10.5	12	39.0 TO 39.8	46	9.5 TO 10.2	10	38.8 TO 39.5	44	
10.6 TO 11.3	13	39.9 TO 40.7	47	10.3 TO 11.1	11	39.6 TO 40.4	45	
11.4 TO 12.2	14	40.8 TO 41.5	48	11.2 TO 11.9	12	40.5 TO 41.3	46	
12.3 TO 13.1	15	41.6 TO 42.4	49	12.0 TO 12.8	13	41.4 TO 42.1	47	
13.2 TO 13.9	16	42.5 TO 43.3	50	12.9 TO 13.7	14	42.2 TO 43.0	48	
14.0 TO 14.8	17	43.4 TO 44.1	51	13.8 TO 14.5	15	43.1 TO 43.9	49	
14.9 TO 15.6	18	44.2 TO 45.0	52	14.6 TO 15.4	16	44.0 TO 44.7	50	
15.7 TO 16.5	19	45.1 TO 45.8	53	15.5 TO 16.3	17	44.8 TO 45.6	51	
16.6 TO 17.4	20	45.9 TO 46.7	54	16.4 TO 17.1	18	45.7 TO 46.4	52	
17.5 TO 18.2	21	46.8 TO 47.6	55	17.2 TO 18.0	19	46.5 TO 47.3	53	
18.3 TO 19.1	22	47.7 TO 48.4	56	18.1 TO 18.8	20	47.4 TO 48.2	54	
19.2 TO 20.0	23	48.5 TO 49.3	57	18.9 TO 19.7	21	48.3 TO 49.0	55	
20.1 TO 20.8	24	49.4 TO 50.2	58	19.8 TO 20.6	22	49.1 TO 49.9	56	
20.9 TO 21.7	25	50.3 TO 51.0	59	20.7 TO 21.4	23	50.0 TO 50.8	57	
21.8 TO 22.5	26	51.1 TO 51.9	60	21.5 TO 22.3	24	50.9 TO 51.6	58	
22.6 TO 23.4	27	52.0 TO 52.7	61	22.4 TO 23.2	25	51.7 TO 52.5	59	
23.5 TO 24.3	28	52.8 TO 53.6	62	23.3 TO 24.0	26	52.6 TO 53.3	60	
		53.7 TO 54.0	63			53.4 TO 54.0	61	

用法說明

1. 請確保本表所顯示的發球台與您將會使用的發球台是一致。

2. 使用此表時,請在「差點指數」欄中找出您的差點,然後在「球場差點」欄中配對出您的正確差點。